





Original Article

Assessing the relationship between internet addiction and loneliness with sleep quality in youth population

Atefeh Soltanifar¹; *Maedeh Kamrani²; Effat Golyar³

Abstraci

Introduction: Internet addiction has increased among young adults as public health problem which lead to mental and physical disturbances. The present study aimed to assess the relationship between internet addiction and loneliness with sleep quality in youth population.

Materials and Methods: In this descriptive-correlational study, 50 college students who educating in academic year of 2014-15 in Islamic Azad University, branch of Torbat-e-Jam were selected via convenience method. They fulfilled Internet Addiction Inventory (IAI), Pittsburgh Sleep Quality Index (PSQI) and the revised UCLA Loneliness Scale. Data analyzed through descriptive and conferential statistics.

Results: The findings showed that there was positive and direct correlation between internet addiction and poor sleep quality. The same correlation was seen between loneliness and sleep quality. Also, loneliness can predict sleep quality and it can explain 13% of changes in sleep quality.

Conclusion: Regarding to the findings, internet addiction and loneliness are associated to negative impact on quality of sleep among college students.

Keywords: Internet addiction, Loneliness, Sleep quality, Youth.

Please cite this paper as:

Soltanifar A, Kamrani M, Golyar E. Assessing the relationship between internet addiction and loneliness with sleep quality in youth population. Journal of Fundamentals of Mental Health 2019 May-Jun; 21(3):169-172.

Introduction

In the present century which named as "century of technology", Internet and social networks have been dramatically developed even in traditional societies and in different age groups especially among adolescents and young adults (1-4). Based on the global evidences related to internet use in different countries, the number of internet users in Iran is estimated 33 millions and 200 thousands until 2010 which increased

30 times compared to the numbers of Iranian internet users in 1999 (5).

The term as "Internet Addiction" is first used by Kimberly Young in 1996. He defined this type of addiction as spending a lot of time (40 to 80% of time or more than 20 hours in a week) (6).

Internet addiction is associated to many public health problems such as mental, social, professional and physical problems. It can lead

*Corresponding Author:

Psychiatry and Behavioral Sciences Research Center, Mashhad University of Medical Sciences, Mashhad, Iran kamranim@mums.ac.ir

Received: Jun. 19, 2018 Accepted: Oct. 09, 2018

¹Associate Professor of Child and Adolescent Psychiatry, Psychiatry and Behavioral Sciences Research Center, Mashhad University of Medical Sciences, Mashhad, Iran.

²Assistant Professor of Psychiatry, Psychiatry and Behavioral Sciences Research Center, Mashhad University of Medical Sciences, Mashhad, Iran.

³MS.c. in Clinical Psychology, Islamic Azad University, Branch of Torbat-e-Jam, Torbat-e-Jam, Iran.

to nutritional and sleep disturbances, ophthalmic and musculoskeletal adverse outcomes (7,8).

Adequate sleep is needed for appropriate physical and mental development but overuse of smart phones and internet can disturb the quality of sleep and it can lead to sleep disorders or other psychiatric problems such as anxiety, insomnia and depression (9,10). On the other hand, problematic use of internet may conclude social isolation and loneliness. The past studies showed that loneliness and reduced social contacts have adverse impacts on sleep quality especially in young adults and adolescents (11,12). Regarding to the increased rate of internet addiction especially among youth population and its consequences on sleep quality and social relationships, the present study aimed to assess the relationship between internet addiction and loneliness with sleep quality in college students.

Materials and Methods

The statistical community of this descriptive-correlational study approved by Islamic Azad University consisted of all students who educating during 2015-16 in management course of Islamic Azad University, Branch of Torbat-e-Jam. Amongst them, 50 students were selected through convenient method regarding to the inclusion criteria. Inclusion criteria included: aged 20-30 years, tendency to participation, lack of major psychiatric problems.

Research instrument

A) Pittsburgh Sleep Quality Index (PSQI): This scale includes of 7 subscales as: subjective sleep quality, sleep latency, sleep duration, habitual sleep efficiency, sleep disturbances, use of sleeping medication, and daytime dysfunction. The global score (0-21) is sum of scores of each subscale (0-3). The total score >5 is concerned as poor quality of sleep (13). This instrument has good psychometric properties in Iranian population (Cronbach alpha=0.85) (14-17).

B) The revised UCLA Loneliness Scale: This scale consisted of 20 items which scored in 4 degree Likert system as 1 (never) to 4 (often). This instrument measures non-satisfaction in two dimensions of lack of intimate relationships and lack of social network. Russell et al. reported its validity 0.94 (). In two

Iranian studies, its validity measured as 0.78 and 0.83 (18-20).

C) Internet Addiction Inventory (IAI): This inventory had 20 items which assess the addictive symptoms in internet users and the questions scored in a 5 degree Likert system as: rarely (1), sometimes (2), often (3), most often (4) and always (5) (6). This instrument has good internal consistency in Iranian studies (α =0.88). The score of 46 is concerned as the cut-off point (21,22). Data analyzed through descriptive and conferential statistics such as linear regression and Pearson coefficient.

Results

The cases of this study consisted of 50 college students. In term of age, 44% of them aged 20-25 years and 64% of students were employee. The mean and standard deviation of the assessed variables and coefficients were shown in Table 1 and 2.

Table 1. The scores of internet addiction, sleep quality and loneliness

Variable	Mean	Standard deviation
Internet addiction	35.69	10.06
Loneliness	39.44	10.48
Sleep quality	12.38	6.41

Table 2. Coefficient of between internet addiction, loneliness and sleep quality

Variable	Sleep quality
Internet addiction	r=0.129
	P=0.435
Loneliness	r=0.363
	P=0.23

The results of the above table showed that there was positive and direct correlation between internet addiction and sleep quality. The same correlation was seen between loneliness and sleep quality. These findings indicated that higher scores of internet addiction and loneliness are associated to poor sleep quality.

Tables 3 and 4 indicated the results of regression.

Table 3. The coefficients of multi-regression analysis

Variable	R	R2	Adjusted R2	Standard error
Sleep quality	0.363	0.132	0.108	6.057

Table 4. The results of regression to predict sleep quality through loneliness

Changes variable	Sum of squares	Degree of freedom	Mean of squares	F	P
Predictor	206.003	0.132	206.003	5.616	0.002
Residual	1357.228	37	36.682		
Total	1563.231	38			

The results of tables 3 and 4 indicated that loneliness can predict sleep quality and loneliness can explain 13% of changes in sleep quality.

Discussion

The findings of this study showed that internet addiction and loneliness had positive and direct relationships with sleep quality among college students. Also, loneliness can predict quality of sleep in the cases. The conducted studies concluded the same results although there are few studies in Iranian population which assessed the predictive role of loneliness in sleep quality especially in young individuals. In a cohort study conducted by Matthews et al. 2232 twins who born in England during 1994-1995 were assessed through UCLA Loneliness Scale and Pittsburgh Sleep Quality Index. The results indicated that loneliness is associated to poor sleep quality and daytime dysfunction (23). This finding is in line with the present study, although internet addiction was not assessed in Matthews et al. study.

A study which assessed the effect of online social networks in sleep quality and academic performance in 470 Iranian adolescents through Pittsburgh Sleep Quality Index and Young Internet Addiction Test indicated that overuse of internet networks had a negative effect on sleep quality and academic performance while it increased the depressive symptoms among the adolescents (24). These findings supported the present study in the effect of internet addiction on loneliness and sleep quality among young adults.

In addition, Moradi and Jamshidi evaluated the relationship between internet addiction and loneliness through Young internet addiction test and Asher loneliness inventory among 150 college students in different courses. They found that there is positive and significant relationship (Pearson coefficient = 0.905 and P=0.00). In addition they found that students of computer course had higher scores in internet addiction compared to the other educational courses. In the present study we evaluated only one course (managing course) (25).

In term of sleep disturbances and internet addiction, Nourian Aghdam et al. evaluated college students (n=50) with or without internet addiction. They found that there were significant differences between two groups in sleep disturbances (P=0.001) and social isolation (P=0.004) (26). These findings supported the role of internet addiction in sleep problems and social isolation same as our research. This research had some limitations such as specific course and age group. So, it is recommended that the future studies conducted on different age groups and educational courses with a larger sample size

Conclusion

Regarding to the findings, internet addiction and loneliness are associated to negative impact on quality of sleep among college students.

Acknowledgement

This research has been approved by Islamic Azad University, Branch of Torbat-e-Jam. The author thanks all participants.

References

- 1. Ceyhan AA. Predictors of problematic internet use on Turkish university students. Cyberpsychol Behav 2008; 11(3): 363-5.
- 2. Guan SS, Subrahmanyam K. Youth Internet use: risks and opportunities. Curr Opin Psychiatry 2009; 22(4): 351-6.

- 3. Garcia-Galera MC, Del-Hoyo-Hurtado M, Fernandez-Munoz C. Engaged youth in the Internet. The role of social networks in social active participation. Comunicar 2014; 22: 35-43.
- 4. Razeghi N, Amri Maleh F. [The effect of internet on social capital of the youth in Ghaemshahr]. Sociological studies of youth 2015; 5: 45-62. (Persian)
- 5. Internet World Stats. [cited 2010]. Available from: www.internetworldstat
- 6. Young KS. Internet addiction. Emergency of a Net disorder. Cyber Psychol Behav 1998; 1(3): 237-44.
- 7. Thomee S, Harenstam A, Hagberg M. Mobile phone use and stress, sleep disturbances and symptoms of depression among young adults- a prospective study. BMC Public Health 2011; 11(1): 1.
- 8. Lin P-H, Lee Y-C, Chen K-L, Hsieh P-L, Yang S-Y, Lin Y-L. The relationship between sleep quality and internet addiction among female college students. Front Neurosci 2019; 13: 599.
- 9. Tan Y, Chen Y, Lu Y, Li L. Exploring associations between problematic internet use, depressive symptoms and sleep disturbance among southern Chinese adolescents. Int J Environ Res Public Health 2016; 13(3): E313.
- 10. Islamie Farsani S, Allahbakhshi K, Valipour AA, Mohammadian-Hafshejani A. Some facts on problematic internet use and sleep disturbance among adolescents. Iran J Public Health 2016; 45(11): 1531-2.
- 11. Yao MZ, Zhong Z. Loneliness, social contacts, and internet addiction: A cross-lagged panel study. J Comput Hum Behav 2014; 30: 164-70.
- 12. Zarbakhsh Bahri MR, Rashedi V, Khademi MJ. [Loneliness and internet addiction in students]. Journal of health promotion management 2013; 2(1): 32-8. (Persian)
- 13. Buysse DJ, Reynolds CF, Monk TH, Berman SR, Kupfer DJ. The Pittsburgh Sleep Quality Index: a new instrument for psychiatric practice and research. Psychiatry Res 1989; 28(2): 193-213.
- 14. Rezaei Ardani A, Talaei A, Borhani Moghani M, Nejati R, Sabouri S, Solooti S, Hosseini SA. [Assessment the rules of demographic variables and body mass index in sleep quality among medical students of Mashhad University of Medical Sciences]. Journal of fundamentals of mental health 2012; 14(2): 132-9. (Persian)
- 15. Hosseinabadi R, Noroozi K, Poorismaili Z, Karimloo M, Maddah SS. [Acupoint massage in improving sleep quality of older adults]. Journal of rehabilitation 2008; 9(2): 8-14. (Persian)
- 16. Behrouzifar S, Zenouzi Sh, Nezafati M, Esmaily H. [Factors affecting the quality and quantity of sleep in coronary artery bypass graft patients]. Journal of Shahid Sadoughi University of Medical Sciences and Health Services 2008; 16(3): 57-66. (Persian)
- 17. Masoudnia E. [Internet addiction and risk of sleep disorder among adolescents]. Journal of research in behavioral sciences 2013; 10(5): 350-62. (Persian)
- 18. Russell D, Peplau LA, Cutrona CE. The Revised UCLA Loneliness Scale: Concurrent and discriminate validity evidence. J Pers Soc Psychol 1980; 39: 472-80.
- 19. Davarpanah F. [The standardization of Revised UCLA Loneliness Scale (for 12-18 year girls in Tehran)]. MS. Dissertation. Allameh Tabatabaee University, Faculty of Psychology and Educational Sciences, 1994. (Persian)
- 20. Rahimzadeh S, Bayat M, Anari A. [Loneliness and social self-efficacy in adolescents]. Developmental psychology 2010; 6: 87-96. (Persian)
- 21. Ghassemzadeh L, Shahraray M, Moradi A. [Prevalence of internet addiction in girls and a comparison of addicted and non-addicted girls in loneliness, self-esteem and social skills]. Contemporary psychology 2007; 2(1): 32-40. (Persian)
- 22. Alavi SS, Eslami M, Maracy MR, Najafi M, Jannatifard F, Rezapour H. [Psychometric properties of Young internet addiction test]. Journal of behavioral sciences 2010; 4(3): 183-9. (Persian)
- 23. Matthews T, Danese A, Gregory AM, Caspi A, Moffitt TE, Arseneault L. Sleeping with one eye open: loneliness and sleep quality in young adults. Psychol Med 2017; 2017: 1-10. Available from; https://www.cambridge.org/core/terms.
- 24. Deimazar G, Kakouei M, Forouzan M, Skandari F. [Effects of online social networks on sleep quality, depression rate and academic performance of high school students]. Koomesh 2019; 21(2): 312-17. (Persian)
- 25. Moradi Amin F, Jamshidi L. [The relation between internet addiction and loneliness among the students of Islamic Azad University]. Women and study of family 2014; 6: 105-23. (Persian)
- 26. Nourian Aghdam J, Almardani Some eh S, Kazemi R. [Comparison of sleep disturbance, social isolation and emotion regulation in internet addiction disorder and normal students in Ardabil city in 2014]. Pajouhan scientific journal 2016; 14(4): 11-17. (Persian)